


## Section 5 **SAFE DEPOSIT**

Worldwide safe deposit keys. Organized by lock manufacturer in alphabetical order with the keys listed in numerical order. Flat keys with no milling do not show a key profile in this section.

**DIEBOLD**



THICK  
WIDTH  
ILCO

.055" - 1.4mm  
.375" - 9.5mm

**1028**

.050" - 1.3mm  
.375" - 9.5mm

**1028L**

.055" - 1.4mm  
.340" - 8.6mm

**1028DD**


.050" - 1.3mm  
.375" - 9.5mm

**1028E**

.055" - 1.4mm  
.390" - 9.9mm

**1028F**

**DIEBOLD**



THICK  
WIDTH  
ILCO

.060" - 1.5mm  
.300" - 7.6mm

**1028P**

.075" - 1.9mm  
.375" - 9.5mm

**1052A**

.085" - 2.2mm  
.390" - 9.9mm

**1052B**

.085" - 2.2mm  
.390" - 9.9mm


**1052C**

.050" - 1.3mm  
.285" - 7.2mm

**1066**

**DIEBOLD**

**HHM / YORK**



THICK  
WIDTH  
ILCO

.050" - 1.3mm  
.340" - 8.5mm

**1365**

.050" - 1.3mm  
.385" - 9.8mm

**1028A**

.055" - 1.4mm  
.385" - 9.8mm

**1028AY**


.060" - 1.3mm  
.335" - 8.5mm

**1028G**


.060" - 1.3mm  
.335" - 8.5mm

**1028N**


HMM / YORK




.060" - 1.5mm  
.340" - 8.6mm  
**1028NN**




.050" - 1.3mm  
.340" - 8.6mm  
**O1028A**



.060" - 1.5mm  
.340" - 8.6mm  
**O1028AH**



.085" - 2.2mm  
.350" - 8.9mm  
**1133**




.085" - 2.2mm  
.350" - 8.9mm  
**1133A**


THICK  
WIDTH  
ILCO

HMM / YORK


ILCO / KABA MAS




.050" - 1.3mm  
.350" - 8.9mm  
**1134**




.080" - 2.0mm  
.350" - 8.9mm  
**1135**



.080" - 2.0mm  
.280" - 7.1mm  
**SG4**




.060" - 1.5mm  
.240" - 6.1mm  
**887**




.070" - 1.8mm  
.320" - 8.1mm  
**1089C**

THICK  
WIDTH  
ILCO


ILCO / KABA MAS




.070" - 1.8mm  
.330" - 8.4mm  
**1333**




.070" - 1.8mm  
.320" - 8.1mm  
**1334**



.080" - 2.2mm  
.375" - 9.5mm  
**1335S**




.085" - 2.2mm  
.320" - 8.1mm  
**1360G**



.070" - 1.8mm  
.280" - 7.1mm  
**1362**


THICK  
WIDTH  
ILCO

ILCO / KABA MAS




.080" - 2.0mm  
.280" - 7.1mm

**1387**




.080" - 2.0mm  
.280" - 7.1mm

**1387G**



.070" - 1.8mm  
.280" - 7.1mm

**1388**




.070" - 1.8mm  
.280" - 7.1mm

**1388L**


THICK  
WIDTH  
ILCO

ILCO / KABA MAS




.070" - 1.8mm  
.320" - 8.1mm

**1396S**




.055" - 1.4mm  
.350" - 8.9mm

**1526**




**1054UN**

LEFEBURE



.070" - 1.8mm  
.320" - 8.1mm

**LB1**




.070" - 1.8mm  
.320" - 8.1mm

**LB2**


THICK  
WIDTH  
ILCO

LEFEBURE




.070" - 1.8mm  
.320" - 8.1mm

**LB3**




.070" - 1.8mm  
.320" - 8.1mm

**LB4**




.080" - 2.0mm  
.320" - 8.1mm

**LB5**



.070" - 1.8mm  
.320" - 8.1mm

**LB6**



.070" - 1.8mm  
.320" - 8.1mm

**LB7**

THICK  
WIDTH  
ILCO

LEFEBURE	MILES OSBORNE		MOSLER	
.070" - 1.8mm .350" - 8.9mm <b>LB8</b>	.081" - 2.1mm .435" - 11.0mm <b>MN1</b>	.050" - 1.3mm .315" - 8.0mm <b>MN3</b>	.040" - 1.0mm .305" - 7.7mm <b>143D</b>	.080" - 2.0mm .350" - 8.9mm <b>155</b>

THICK  
WIDTH  
ILCO

MOSLER				
.060" - 1.5mm .330" - 8.4mm <b>706</b>	.060" - 1.5mm .375" - 9.5mm <b>723</b>	.060" - 1.5mm .335" - 8.5mm <b>1091</b>	.040" - 1.0mm .300" - 7.6mm <b>1095</b>	.050" - 1.3mm .300" - 7.6mm <b>1095HL</b>


THICK  
WIDTH  
ILCO

MOSLER				
.060" - 1.5mm .300" - 7.6mm <b>1095H</b>	.040" - 1.0mm .300" - 7.6mm <b>1095A</b>	.085" - 2.2mm .350" - 8.9mm <b>1115</b>	.085" - 2.2mm .350" - 8.9mm <b>1115A</b>	.085" - 2.2mm .355" - 9.0mm <b>1115AL</b>

THICK  
WIDTH  
ILCO


MOSLER

THICK  
WIDTH  
ILCO



.085" - 2.2mm  
.355" - 9.0mm

**1115XL**



.085" - 2.2mm  
.350" - 8.9mm

**1115B**




.085" - 2.2mm  
.350" - 8.9mm

**1115BL**


MOSLER

THICK  
WIDTH  
ILCO




.060" - 1.5mm  
.380" - 9.7mm

**1323**




.060" - 1.5mm  
.380" - 9.7mm

**1323L**




.060" - 1.5mm  
.375" - 9.5mm

**1335S**



.055" - 1.4mm  
.350" - 8.9mm

**1526**



.060" - 1.5mm  
.350" - 8.9mm


**4015**

PRECISION

SARGENT & GREENLEAF / S & G


SEE ILCO/  
KABA  
MAS

THICK  
WIDTH  
ILCO




.080" - 2.0mm  
.280" - 7.1mm

**SG4**




.050" - 1.3mm  
.375" - 9.5mm

**1028D**



.060" - 1.5mm  
.280" - 7.1mm


**1063**




.070" - 1.8mm  
.375" - 9.5mm

**1063B**


SARGENT & GREENLEAF / S & G




.070" - 1.8mm  
.380" - 9.7mm  
**1063D**




.070" - 1.8mm  
.320" - 8.1mm  
**1063E**



.085" - 2.2mm  
.275" - 7.0mm  
**1068**




.085" - 2.2mm  
.320" - 8.1mm  
**1068B**




.085" - 2.2mm  
.320" - 8.1mm  
**1068E**

THICK  
WIDTH  
ILCO


SARGENT & GREENLEAF / S & G



.050" - 1.3mm  
.435" - 11.2mm  
**1084**




.070" - 1.8mm  
.320" - 8.1mm  
**1089C**




.050" - 1.3mm  
.275" - 7.0mm  
**A1124**

THICK  
WIDTH  
ILCO


SARGENT & GREENLEAF / S & G




.075" - 1.9mm  
.215" - 5.5mm  
**O1125NR**




.085" - 2.2mm  
.320" - 8.1mm  
**1360G**



.070" - 1.8mm  
.280" - 7.1mm  
**1362**




.080" - 2.0mm  
.280" - 7.1mm  
**1387**



.080" - 2.0mm  
.280" - 7.1mm  
**1387G**


THICK  
WIDTH  
ILCO

SARGENT & GREENLEAF / S & G




.070" - 1.8mm  
.280" - 7.1mm

**1388**




.070" - 1.8mm  
.280" - 7.1mm

**1388L**




.085" - 2.2mm  
.380" - 9.7mm

**1389G**



.070" - 1.8mm  
.380" - 9.7mm

**1390**




.080" - 2.0mm  
.380" - 9.7mm

**1390G**

THICK  
WIDTH  
ILCO

SECURITY / KUMAHIRA



5 PIN  
6 PIN

5 PIN

6 PIN

**SY1**



**SY5-NS**

**SY2**



**SY6-NS**

**SY4**




**SY8-NS**

**SY7**




**SY3-NS**




.075" - 1.9mm  
.440" - 11.2mm

**SY10**



.055" - 1.4mm  
.310" - 7.9mm

**SY11**




.055" - 1.4mm  
.315" - 8.0mm

**SY12**


THICK  
WIDTH  
ILCO

SECURITY / KUMAHIRA YALE




.055" - 1.4mm  
.315" - 8.0mm

**SY13**




.085" - 2.2mm  
.355" - 9.0mm

**884**




.085" - 2.2mm  
.355" - 9.0mm

**884R**



.080" - 2.0mm  
.350" - 8.9mm

**884BR**




.085" - 2.2mm  
.350" - 8.9mm

**884BS**

THICK  
WIDTH  
ILCO




YALE




.080" - 2.0mm  
.355" - 9.0mm

**885**




.080" - 2.0mm  
.355" - 9.0mm

**885R**



.085" - 2.2mm  
.350" - 8.5mm

**886**




.060" - 1.5mm  
.240" - 6.1mm

**887**

THICK  
WIDTH  
ILCO


YALE

MISCELLANEOUS




.080" - 2.0mm  
.370" - 9.4mm

**1028M**




.090" - 2.3mm  
.300" - 7.6mm

**1060C**




.085" - 2.15mm  
.300" - 7.6mm

**1587**



.070" - 1.8mm  
.280" - 7.1mm

**SG5**



.050" - 1.3mm  
.375" - 9.5mm


**1028C**

THICK  
WIDTH  
ILCO

SAFE DEPOSIT


sec 5 page 8

MISCELLANEOUS



.050" - 1.3mm  
.380" - 9.7mm

**1028DC**




.050" - 1.3mm  
.375" - 9.5mm

**1093**



.060" - 1.5mm  
.375" - 9.5mm

**1093H**



.050" - 1.3mm  
.380" - 9.7mm

**1110A**



.060" - 1.5mm  
.380" - 9.7mm

**1110B**

THICK  
WIDTH  
ILCO